


811096

Inhaltsverzeichnis

Overrun device V 161S (811096)

3

Overrun device V 161S (811096)



Overrun device V 161S (811096)

Item no.	Article no.	Description	Quantity	Unit	Remark
1	366356	Bellows	1	PC	
2	705526	hexnut M12 DIN 985-10	2	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
3	581699	Stop plate	1	PC	
4	1210131	Spare part kit bushing overrun	1	PC	Attention: After fitting the bearing bushes must be reamed to the particular draw bar diameter
5	371372	Damping rubber	1	PC	
6	571874	Draw tube welded 251S	1	PC	
7	370557	Shock absorber 161S	1	PC	
8	700312	Hexagon screw M12x90 DIN 931 8.8 zp	1	PC	
9	204549	Hand brake lever incl. brake away cable	1	PC	
10	370693	Washer Ø19x34x3	1	PC	
11	581145	Bearing screw M12x100 Ø19	1	PC	
12	ETK0002	Housing	1	PC	At the time of order see graved drawing-no.
13	375900	Conical grease nipple AS 8x1 DIN 71412	1	PC	
14	700203	Conical grease nipple AS 6x1 DIN 71412	1	PC	
15	380265	Deflection lever cpl. iH=90:27	1	PC	

OD= overrun device, please specify the ETI- number when ordering

Overrun device V 161S (811096)

Item no.	Article no.	Description	Quantity	Unit	Remark
15	380285	Deflection lever cpl. iH=90:30	1	PC	
16	705396	Washer A 10,5 DIN 125-ST	1	PC	
17	368605	Breakaway cable 950 mm length	1	PC	
18	2170110608	Tension bracket	1	PC	
19	2075020601	Spring cylinder cpl.	1	PC	
20	2076810609	Bolt half-round	1	PC	
21	700192	Split pin 4x20 DIN 94 (at drawing)	1	PC	