


811254

Inhaltsverzeichnis

Overrun device square 80 161S (811254)	3
--	---

Overrun device square 80 161S (811254)



Overrun device square 80 161S (811254)

Item no.	Article no.	Description	Quantity	Unit	Remark
2	370557	Shock absorber 161S	1	PC	
3	706437	Self locking nut BIW M12	1	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
3.1	370580	Distance bush	1	PC	
4	366356	Bellows	1	PC	
5	371372	Damping rubber	1	PC	
6	705389	hexnut M12 DIN 980-V-8	2	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
7	353943	Flanged bush	1	PC	Attention: After fitting the bearing bushes must be reamed to the particular draw bar diameter
8	357242	Distance bush	1	PC	
9	705418	Hexagon screw M12x70 DIN 931 8.8	1	PC	
10	ETK0002	Housing	1	PC	At the time of order see graved drawing-no.
11	571874	Draw tube welded 251S	1	PC	
12	353942	Plain bearing bush	1	PC	Attention: After fitting the bearing bushes

OD= overrun device, please specify the ETI- number when ordering

Overrun device square 80 161S (811254)

Item no.	Article no.	Description	Quantity	Unit	Remark
					must be reamed to the particular draw bar diameter
13	705389	hexnut M12 DIN 980-V-8	1	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
14	375900	Conical grease nipple AS 8x1 DIN 71412	1	PC	
15	648132	Deflection lever cpl. iH=105:31,5	1	PC	
16	700203	Conical grease nipple AS 6x1 DIN 71412	1	PC	
18	581145	Bearing screw M12x100 Ø19	1	PC	
19	220096	Hand brake lever incl. brake away cable 161S-251S-161R	1	PC	Incl. gas spring, brake away cable and brake away ring
20	368605	Breakaway cable 950 mm length	1	PC	
21	706356	Hexagon screw M12x105 DIN 931 8.8	1	PC	
22	581699	Stop plate	1	PC	
23	370693	Washer Ø19x34x3	1	PC	