


811263

Inhaltsverzeichnis

Overrun device 162S (811263)	3
------------------------------	---

Overrun device 162S (811263)



Overrun device 162S (811263)

Item no.	Article no.	Description	Quantity	Unit	Remark
1	ETK0002	Housing	1	PC	At the time of order see graved drawing-no.
2	370557	Shock absorber 161S	1	PC	
3	700203	Conical grease nipple AS 6x1 DIN 71412	1	PC	
4	380265	Deflection lever cpl. iH=90:27	1	PC	
5	705389	hexnut M12 DIN 980-V-8	1	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
6	353942	Plain bearing bush	1	PC	Attention: After fitting the bearing bushes must be reamed to the particular draw bar diameter
7	371372	Damping rubber	1	PC	
8	571875	Draw tube welded 161/251S	1	PC	
9	705442	Hexagon screw M12x85 DIN 931 8.8	1	PC	
9	705545	Hexagon screw M12x60 DIN 931 8.8	1	PC	
11	353943	Flanged bush	1	PC	Attention: After fitting the bearing bushes must be reamed to the particular draw bar diameter
13	366356	Bellows	1	PC	

OD= overrun device, please specify the ETI- number when ordering

Overrun device 162S (811263)

Item no.	Article no.	Description	Quantity	Unit	Remark
15	370558	Shock absorber 161S	1	PC	
16	700312	Hexagon screw M12x90 DIN 931 8.8 zp	1	PC	
17	700797	Cylinder screw M5x8 DIN 84 VZ	1	PC	
18	247621	Coupling AK350	1	PC	
18	357419	Drawbar eye DIN Ø40 161/251S	1	PC	
19	702424	Cylinder screw M3x6 DIN 84 A2-70	1	PC	
20	375841	Covere	1	PC	
21	368605	Breakaway cable 950 mm length	1	PC	
22	220096	Hand brake lever incl. brake away cable 161S-251S-161R	1	PC	Incl. gas spring, brake away cable and brake away ring
23	581145	Bearing screw M12x100 Ø19	1	PC	
24	370693	Washer Ø19x34x3	1	PC	