
AL-KO VT
VEHICLE TECHNOLOGY

811934

Inhaltsverzeichnis

Overrun device V 251G AK26 special (811934) 3

Overrun device V 251G AK26 special (811934)



Overrun device V 251G AK26 special (811934)

Item no.	Article no.	Description	Quantity	Unit	Remark
4	366356	Bellows	1	PC	
14	707262	Clamping pin 12x48 ISO 8748-ST at drawing	1	PC	
10	375900	Conical grease nipple AS 8x1 DIN 71412	1	PC	
1	1225010	Coupling AK26 USA with mounting parts	1	PC	
17	1730083	Coupling AK270 with mounting parts + SOFTDOCK	1	PC	
11	371372	Damping rubber	1	PC	
15	647903	Distance bush	1	PC	
16	647900	Distance bush	1	PC	
12	1351983	Draw tube welded	1	PC	
3	705427	Hexagon screw M12x75 DIN 931 8.8	1	PC	
19	705422	Hexagon screw M12x80 DIN 931 8.8	1	PC	
6	705434	Hexagon screw M12x90 DIN 931 8.8	1	PC	
2	705526	hexnut M12 DIN 985-10	1	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
9	ETK0005	Housing	1	PC	Only complete overrun device available, see imprint drawing number
7	372641	Shock absorber 251VB/251S/251G	1	PC	
18	693394	Soft-dock black	1	PC	

Overrun device V 251G AK26 special (811934)

Item no.	Article no.	Description	Quantity	Unit	Remark
8	1210131	Spare part kit bushing overrun	1	PC	Attention: After fitting the bearing bushes must be reamed to the particular draw bar diameter
5	581699	Stop plate	1	PC	
20	705397	Washer A 13 DIN 125-ST	1	PC	